



Bergmann dumpers.
The models.

 Made in Germany.

BERGMANN

For safety. A Bergmann.

Premium quality made in Germany.
High value stability. And maximum
operational safety. With these
features we will also be able to
convince you. Take us at our word.
www.bergmann-dumper.de

Series 2000

Compact and manoeuvrable.

➤ **Best overview**

A short tail and a high sitting position ensure the operator the best all-round overview. For quick and safe work.

➤ **Year-round use**

Thanks to a collapsible weather protection roof (optional). In focus: health protection, profitability, transport costs.

➤ **Safety for the operator**

The operator enters the dumper outside the danger area. Because safety is the priority, right from the start.



Wheel dumper | open

Swivel tip

3 - 9 t payload



Bergmann 2030 HS

High Skip Dumper

Payload	3,000 kg
Capacity level	1.3 m³
Capacity heaped	2.0 m³
Total length	4,158 mm
Total width	1,780 mm
Clearance height without beacon light	2,877 mm
Ground clearance	310 mm
Dumping height	1,944 mm
Load height	1,666 mm
Engine power	35.9 kW
Empty weight	2,900 kg



Bergmann 2040 R

Swivel Tip Dumper

Payload	4,000 kg
Capacity level	1.5 m³
Capacity heaped	2.3 m³
Total length	4,005 mm
Total width	1,874 mm
Clearance height without beacon light	2,912 mm
Ground clearance	343 mm
Dumping height	966 mm
Load height	1,550 mm
Engine power	35.9 kW
Empty weight	2,800 kg



Bergmann 2060 R_{PLUS} Swivel Tip Dumper

Payload	6,000 kg
Capacity level	2.5 m³
Capacity heaped	3.6 m³
Total length	4,489 mm
Total width	2,018 mm
Clearance height without beacon light	3,107 mm
Ground clearance	273 mm
Dumping height	1,122 mm
Load height	1,650 mm
Engine power	55 kW
Empty weight	4,045 kg



Bergmann 2090 R_{PLUS} Swivel Tip Dumper

Payload	9,000 kg
Capacity level	3.6 m³
Capacity heaped	4.6 m³
Total length	4,953 mm
Total width	2,420 mm
Clearance height without beacon light	3,350 mm
Ground clearance	315 mm
Dumping height	1,178 mm
Load height	1,970 mm
Engine power	75.0 kW
Empty weight	6,200 kg

Series 3000

Masterful at any construction site.

➤ **Best all-terrain traction**

With large tyres, articulated swivel joint and spring-suspension front axle, the 3000 series models also safely handle rough terrain under their wheels.

➤ **A real performer**

In addition to high performance technology, the cab, with its rotating driver's stand (optional), enables fast, safe work.

➤ **For any requirements**

Rear, three-way, swivel tip or carrier vehicle with quick-change apparatus, your Bergmann has the equipment you need for your construction site.



Wheel dumper | cab

Rear, three-way or swivel tip
12 t payload



Bergmann 3012 R_{PLUS} Swivel Tip Dumper

Payload	12,000 kg
Capacity level	6.3 m³
Capacity heaped	8.0 m³
Total length	7,129 mm
Total width	2,500 mm
Clearance height without beacon light	3,022 mm
Ground clearance	429 mm
Dumping height	1,344 mm
Load height	2,408 mm
Engine power	119 kW
Empty weight	11,140 kg



Bergmann 3012 DSK_{PLUS} Three-Way Tip Dumper

Payload	12,000 kg
Capacity level	4.2 m³
Capacity heaped	8.0 m³
Total length	7,598 mm
Total width	2,541 mm
Clearance height without beacon light	3,022 mm
Ground clearance	429 mm
Dumping height	405 mm
Load height	2,049 mm
Engine power	119 kW
Empty weight	10,020 kg



Bergmann 3012 HK_{PLUS}

Rear Tip Dumper

Payload	12,000 kg
Capacity level	5.0 m³
Capacity heaped	8.0 m³
Total length	6,844 mm
Total width	2,505 mm
Clearance height without beacon light	3,022 mm
Ground clearance	429 mm
Dumping height	926 mm
Load height	2,110 mm
Engine power	119 kW
Empty weight	9,080 kg

Series 4000

Strong on any substrate.

➤ High speed

With a well-conceived safety concept and a driving speed of up to 16 km/h, Bergmann is convincing even on the most difficult substrate. Safe and high-performance.

➤ Economical and low-emission

State-of-the-art engine technology convinces with low diesel consumption and low emission values. Economical and environmentally friendly.

➤ Convincing ergonomics

The spacious driver's cab with rotating operator stand (optional) makes turning manoeuvres superfluous. Efficient and back-friendly.



Track dumper | cab

Rear or swivel tip

10 t payload



Bergmann 4010 R

Swivel Tip Dumper

Payload	10,000 kg
Capacity level	5.8 m³
Capacity heaped	6.6 m³
Total length	6,315 mm
Total width	2,900 mm
Clearance height without beacon light	3,020 mm
Ground clearance	610 mm
Dumping height	555 mm
Load height	2,175 mm
Engine power	186 kW
Empty weight	14,850 kg



Bergmann 4010 HK

Rear Tip Dumper

Payload	10,000 kg
Capacity level	4.7 m³
Capacity heaped	6.5 m³
Total length	5,963 mm
Total width	2,900 mm
Clearance height without beacon light	3,020 mm
Ground clearance	610 mm
Dumping height	765 mm
Load height	1,968 mm
Engine power	186 kW
Empty weight	14,250 kg



Bergmann 4010 T Carrier Vehicle

Payload	11,000 kg
Total length	6,315 mm
Total width	2,900 mm
Clearance height without beacon light	3,020 mm
Ground clearance	610 mm
Dumping height	555 mm
Load height	2,175 mm
Engine power	186 kW
Empty weight	13,400 kg

Series 5000

Underground specialists.

➤ **Maximum safety**

With its ergonomic reversible seat, the tunnel dumpers offer an excellent view of the work environment from every direction of travel.

➤ **High work efficiency**

With work speeds up to 40 km/h forwards and 30 km/h backwards, the Bergmann 5025 HK_{PLUS} is the ideal transport vehicle for tunnelling and mining.



Wheel dumper | cab

Rear tip

12 - 25 t payload



Bergmann 5025 HK_{PLUS}

Rear Tip Dumper

Payload	25,000 kg
Capacity heaped	15.0 m³
Total length	9,316 mm
Total width	2,870 mm
Clearance height without beacon light	3,353 mm
Ground clearance	480 mm
Dumping height	700 mm
Load height	2,719 mm
Engine power	194 kW
Empty weight	19,250 kg

Solutions

Completely individual in accordance with your requirements.



Contact us!

T +49 5932 7292-0

What makes a Bergmann so safe:

1. High level of operational safety thanks to robust, durable, and certified technology
2. Rotating operator stand for maximum operational safety
3. Spring-suspension rear axle for driving comfort and health protection
4. Safe entry and exit outside the danger area
5. Weather protection roof for a healthy work environment
6. Retractable bucket chute for working at a safe distance from the building pit
7. Permanent stability monitoring with warning function for quick and safe work
8. Investment security through partnership at eye level with an established family-owned company



**For safety.
A Bergmann.**



Specialised in dumpers. For more than 55 years.

Bergmann Maschinenbau GmbH & Co. KG

Essener Straße 7 | 49716 Meppen | Germany | T +49 5932 7292-0
info@bergmann-mb.de | www.bergmann-dumper.de